



BEYOND YOUR LAMINATORS

# INTRODUCING THE NEWLY MULTI APLICATOR RSMA-1632




**Built-in Media Holder**



**Dual Full Length Side Tray**



**Ergonomic Handle**



Simplify laminating, mounting, and pre-masking with the RS Multi-Applicator flatbed application table.



## Highlights

- **Open Access** – An under-the-table gliding bridge allows operators to easily pass graphics over the roller
- **Easy transportation** – Easy move in and out at tilted position. Easily move in regular size door
- **Bi-Valve Pneumatics** – Raise and lower roller on either side of the table at any time
- **One Person Operation** – A single operator can mount large full sheet graphics faster and more efficiently with the Multi-Applicator
- **Built-in Media holder** – Release roll media effortlessly


# RSMA-1632 Multi-Applicator



FREE ACCESS  
ROLLER

STURDY METAL  
CONSTRUCTION

MINIMAL  
MAINTENANCE



Features		Unit Dimensions	
Roller Diameter	5-1/8"(130mm)	Width	70" (1765 mm)
Mounting	Up 2.7" (70 mm)	Length	152" (3865 mm)
Media Bar	Bridge & Auxiliary	Working Width	63" (1600 mm)
Supply Tray	Dual Full Length	Working Length	141" (3590 mm)
Table Surface	Tempered Glass	Height	36-1/4" (920 mm)
	Self-Healing Cutting Mat	weight	1,322 lbs.(600KG)
	LED lighting	Shipping Dimensions	
Media holder	Built-in	Width	45-1/4" (1150 mm)
		Length	162" (4100 mm)
		Height	85" (2150 mm)
Parts & Labor 1 Year		Weight	1,764 lbs.(800KG)